

The occupant load below is from CBC Table 10-A and therefore should be considered to be the "minimum exiting requirements" as stated in Exception 2 of CPC Table 4-1	CPC Chapter 4, Table 4-1						CBC Apdx Chapter 29 Table A-29-A						
	Men			Women		Drinking Fountain	O/L to be used with CBC Table 29-A	Men			Women		Drinking Fountain
	WC	Urinal	LAV	WC	LAV			WC	Urinal	LAV	WC	LAV	
A3 Restaurant, 2000 sqft, (1500 sqft Public, 500 sqft Service) 100 Public occ., 3 employee occ.	1-E* 1 -P	1	1	2**	1	N/R	53 occ. (OLF=30)	2	***	1	2	2	1
A3 Theater, 5000 sqft, 250 occ. (fixed seats)	2	2	1	8	1	2	250 (# of fixed seats)	3	***	1	6	5	2
A3 Ice Cream Shop, 1200 sqft, (800 sqft public, 400 sqft service area) 53 public occ., 2 employee occ.)	1 unisex for both sexes (CPC 413.3 ex. #3)					N/R	27P+2E occ. (OLF=30)	1	N/A	1	1	1	N/R
M Shoe Store, 1500 sqft, 50 occ. (incl. employees)	1 unisex for both sexes (CPC 413.3 ex. #3)					1	8 (OLF=200)	1 unisex for both sexes (CBC Table A-29-A Note #3)					N/R
M Clothing Store, 1600 sqft, 53 occ. (incl. employees)	1	1	1	3	1	1	8 (OLF=200)	1 unisex for both sexes (CBC Table A-29-A Note #3)					N/R
B Florist Shop, 3000 sqft, 100 occ.(incl. employees)	1	1	1	3	1	1	15 (OLF=200)	1	N/A	1	1	1	N/R
B Office, 5000 sqft, 50 occ.	1	1	1	3	1	1	25 (OLF=200)	1	N/A	1	1	1	N/R
B Office, 700 sqft, 7 occ.	1 unisex for both sexes (CPC 413.3 ex. #3)					1	4 (OLF=200)	1 unisex for both sexes (CBC Table A-29-A Note #3)					N/R

* Separate unisex facility for employees per CPC 413.6

**Per T 4-1 note 14, WC must be = to WC+Urinals

*** May substitute a urinal for a water closet